

# PATENT SPECIFICATION

326,915



Application Date: Jan. 10, 1929. No. 880 / 29.

Complete Left: June 25, 1929.

Complete Accepted: March 27, 1930.

## PROVISIONAL SPECIFICATION.

### Adjustable Golf Ball Tee.

I, CLEMENT MANSEL JONES, of "Silver-  
lee", Victoria Avenue, Porthcawl,  
Glamorgan, British Subject, do hereby  
declare the nature of this invention to be  
5 as follows:—

The Invention relates to golf tees and  
comprises a sharp pointed piece of  
material either metal, Ivory, bone, vul-  
canite or hard wood, that is threaded at  
10 the top as shewn in Fig. 1, of the accom-  
panying drawing and marked *a*.

A cap shaped and threaded as shewn  
in Fig. 2, of the accompanying drawing,  
and having a concaved head to hold the  
15 golf ball and made of any of the before-  
mentioned materials, screws over and on  
to the pointed piece shewn in Fig. 1, and  
can be made higher or lower as required.

A modification is shewn in Figs. 3 and

4. The sharp pointed piece as shewn in  
Fig. 3 and marked *c* is drilled and  
threaded inside and the concaved headed  
cap shewn in Fig. 4, and marked *d*,  
screws into the pointed piece *c* and can  
be made higher or lower at will. If  
20 necessary a locking nut can be fixed to the  
caps shewn in Figs. 2 and 4 to lock them  
in position once the correct height is ob-  
tained. A piece of ribbon or rag of  
bright coloured material is attached to the  
25 Tee at the sharp pointed end to easily dis-  
tinguish it should it be knocked out of the  
ground. The caps can be made of  
different material to the sharp pointed  
base to allow of easy and cheap replace-  
30 ment.

Dated the 9th day of January, 1929.  
CLEMENT MANSEL JONES.

BEST AVAILABLE COPY

## COMPLETE SPECIFICATION.

### Adjustable Golf Ball Tee.

I, CLEMENT MANSEL JONES, of "Silver-  
lee", Victoria Avenue, Porthcawl,  
Glamorgan, British Subject, do hereby  
40 declare the nature of this invention and  
in what manner the same is to be per-  
formed, to be particularly described and  
ascertained in and by the following state-  
ment:—

45 The Invention relates to Golf Ball Tees  
of the peg type that are adjustable in  
length to vary the height at which the  
ball is supported above the ground and  
made of metal, Ivory, bone, vulcanite,  
50 the material known under the Registered  
trade mark "erionoid", Fibre or hard  
wood.

According to the invention the  
peg is threaded at the top as shown in  
55 Fig. 1 of the accompanying drawing and  
marked *d*. A cap shaped and threaded as  
shown in Fig. 1 and marked *a*, having a  
concaved shaped head to hold the golf ball  
and made of any of the beforementioned  
60 materials, screws over and on to the  
pointed piece marked *d* and can be made  
higher or lower as required. This cap is  
held in position by a lock nut marked *b*.  
A hole marked *c* is drilled through the



pointed piece *d* to enable a ribbon or rag  
of bright coloured material to be attached,  
65 to easily distinguish the Tee should it be  
knocked out of the ground.

A modification is shewn in Fig. 2.  
The sharp pointed piece as shewn in  
Fig. 2 and marked *g* is drilled and  
threaded inside and the concaved headed  
cap marked *e* screws into the pointed  
70 piece *g* and can be made higher or lowered  
at will. This cap is locked in any pos-  
ition by means of the lock nut marked *f*.

Having now particularly described  
and ascertained the nature of my said  
invention and in what manner the same  
is to be performed, I declare that what I  
75 claim is:—

A golf tee of the type set forth comprising  
80 a ball supporting member and a spike  
for insertion into the ground, the support  
being attached to the spike by a screw-  
thread connection to enable adjustment of  
the height of the tee and a lock-nut being  
85 provided to hold the parts in adjusted  
position.

Dated the 24th day of June, 1929.  
CLEMENT M. JONES.

**FIG.1.****FIG.2.****FIG.3.****FIG.4.**

*[This Drawing is a full-size reproduction of the Original]*

FIG. 1





FIG. 2.



*[This Drawing is a full-size reproduction of the Original]*

*Section*

*Section*